



E50 | E50 Life | 1058 Life

GERÄT	VERSORGUNG				ABSAUGUNG		
E50 E50 Life 1058 Life	Arztelement - S (basic grau)		Arztelement - T (basic grau)		Länge (in mm)	S T (basic grau)	
	1300 mm	1600 mm	1300 mm	1600 mm			
							
Turbinenschlauch	1.007.8151		1.004.4638	1.004.8367	Spraynebelschlauch komplett	1600 3.004.7180	
Motorschlauch K200	1.007.8150		1.004.4637		Spraynebelschlauch komplett (r,l)	2400 3.004.9405	
Motorschlauch KL702/703	1.007.8149		1.004.4635	1.004.8366	Spraynebelschlauch kurz	1600 1.013.5157	
COMFORTbase 404L	1.007.8204		1.004.9811		Spraynebelschlauch Rolle	25000 1.013.5158	
Spritzenschlauch MF / 3F (Arzt)	1.007.8152		1.004.4654		Speichelzieherschlauch komplett	1600 3.004.7171	
Spritzenschlauch MF / 3F (Assistent)	0.516.8090 (Assistent 1400 mm)	0.516.8190 (Assistent 1600 mm)	0.516.8090 (Assistent 1400 mm)	0.516.8190 (Assistent 1600 mm)	Speichelzieherschlauch komplett (r,l)	2400 3.004.7136	
Spritzenschlauch 3F Assistent (r,l)		1.009.0980 (Assistent 2400 mm)		1.009.0980 (Assistent 2400 mm)	Speichelzieherschlauch kurz	1600 1.013.5156	
Piezo-LED	1.007.4002		1.007.4002		Speichelzieherschlauch Rolle	25000 1.013.5155	
Satelec Mini L.E.D.		1.003.8120 (Assistent)		1.003.8120 (Assistent)	Hydrocolloidschlauch	1500 1.001.2424	
Satelec Mini L.E.D. Assistent (r,l)		1.009.0979 (Assistent 2400 mm)		1.009.0979 (Assistent 2400 mm)			
HF-Kabel			1.004.7137				
ERGOcam4 Schlauch	1.005.3277	1.005.6302	1.005.3277	1.005.6302			

Version: KaVo_Schlauchübersicht_2021-06-07

Stand: 26. Oktober 2020 (Extranet-Schlauchnummern Übersicht)

E70 | E70 Vision | E80 | E80 Vision

GERÄT	VERSORGUNG				ABSAUGUNG			
E70 E70 Vision E80 E80 Vision	Arztelement - S (basic grau)		Arztelement - T (basic grau)		Länge (in mm)	S T (basic grau)		
	1300 mm	1600 mm	1300 mm	1600 mm				
	Turbinenschlauch	1.007.8151		1.004.4638	1.004.8367	Spraynebelschlauch komplett	1600	3.004.7180
	Motorschlauch KL701/702/703	1.007.8149		1.004.4635	1.004.8366	Spraynebelschlauch kurz	1600	1.013.5157
	Motorschlauch KL702 ENDO			1.005.1893		Spraynebelschlauch Rolle	25000	1.013.5158
	COMFORTbase 404L	1.007.8204		1.004.9811		Speichelzieherschlauch komplett	1600	3.004.7171
	Spritzenschlauch MF / 3F	1.007.8152 (Arzt)	1.004.8368 (Assistent)	1.004.4654 (Arzt)	1.004.8368 (Assistent)	Speichelzieherschlauch kurz	1600	1.013.5156
	Piezo-Lux			1.004.4653		Speichelzieherschlauch Rolle	25000	1.013.5155
	Piezo-LED	1.007.4002		1.007.4002				
	Satelec Mini L.E.D.			1.004.8826	1.003.8120 (Assistent)	Hydrocolloidschlauch	1500	1.001.2424
	HF-Kabel			1.004.7137				
	ERGOcam4 Schlauch	1.005.3277	1.005.6302	1.005.3277	1.005.6302			
	Chirurgiemotorschlauch SL550			1.001.2651 (2000 mm)	1.004.6825 (3000 mm)			
	Chirurgiemotorschlauch SL600			1.009.1700 (2000 mm)				

Version: KaVo_Schlauchübersicht_2021-06-07

Stand: 26. Oktober 2020 (Extranet-Schlauchnummern Übersicht)

1063 | 1065 | 1066 | 1080 | 1058

GERÄT	VERSORGUNG							ABSAUGUNG						
	Arztelement	Kurz-Bez.	1063/65 (basic grau)	1066 (basic grau)		1080 (basic grau)		1058 (basic grau)	Helpernelement	Kurz-Bez.	Länge (in mm)	1063/65 1066 1080 (basic grau)	1058 (basic grau)	
			1250 mm	1400 mm	1250 mm	1250 mm	1400 mm	1250 mm						
			on tubing		optional	optional								
									marked					
	Turbinenschlauch	LUIN	0.516.5310	0.516.5350	0.516.5310	0.516.5310	0.516.5350	0.516.5310	SONO	1550		0.516.1090		
	Turbinenschlauch flexibler		1.002.7075	1.003.2745	1.002.7075	1.002.7075	1.003.2745	1.002.7075		1600		1.003.8120		
	Motorschlauch 192	KMOL	0.516.5800			0.516.5800				1500		1.001.2424		
	Motorschlauch KL 700/701/702/703	KLMO	0.516.5810	0.516.5900	0.516.5810	0.516.5810	0.516.5900	0.516.5810		1600		3.004.7180		
	Motorschlauch K190/K196/K200	K200	1.000.5652	1.000.5710	1.000.5652	1.000.5652	1.000.5710	1.000.5652		2400		3.004.9405		
	COMFORTbase 405L							1.006.1211		1600		1.013.5157		
	Spritzenschlauch MF	4-F	0.516.8140	0.516.8090	0.516.8140	0.516.8140	0.516.8090	0.516.8140		25000		1.013.5158		
	Spritzenschlauch 3F	4-F	0.516.8140	0.516.8090	0.516.8140	0.516.8140	0.516.8090	0.516.8140		1600		3.004.7171		
	Sonosoft-Lux / Piezo-Lux	SONO	0.516.1060	0.516.1110	0.516.1060	0.516.1060	0.516.1110	0.516.1060		2400		3.004.7136		
	Piezo-LED							1.007.4002		1600		1.013.5156		
	HF-Kabel		0.226.3832	0.226.3834	0.226.3832					25000		1.013.5155		
										LUIN	1550		0.516.8190	
										LUIN	1550		0.516.8190	
											2400		1.009.0980	
											1600		1.002.1907	
										1600		1.001.4011		
									LUIN	1550			0.516.5340	
									LUIN	1550			1.003.2894	

Version: KaVo_Schlauchübersicht_2021-06-07

Stand: 26. Oktober 2020 (Extranet-Schlauchnummern Übersicht)