according to Regulation (EC) No 1907/2006

LuxaCore Z Dual

Revision date: 15.04.2021

Product code: 2010

Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LuxaCore Z Dual

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against

pregnant or breastfeeding people should not work with hazardous substances

1.3. Details of the supplier of the safety data sheet

Company name:	DMG Chemisch-Pharmazeutische	Fabrik GmbH
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

SECTION 2: Hazards identification

2.2. Label elements

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

chemical characterization (preparation): Acrylate.-resin.

Hazardous components

CAS No	Chemical name				Quantity
	EC No	Index No	R	EACH No	
	Classification (Regulation (EC) No 1272/2008)				
41637-38-1	1 Dimethacrylate Resin				< 45 %
Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SI H413			c Chronic 4; H315	5 H319 H317 H335	
1565-94-2	Bis-GMA			15 - 35 %	
Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317			H319 H317 H335		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE		
1565-94-2		Bis-GMA	15 - 35 %	
	oral: LD50 = 5000 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

according to Regulation (EC) No 1907/2006

LuxaCore Z Dual

Revision date: 15.04.2021

Product code: 2010

Page 2 of 5

After ingestion

Call a physician immediately.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

COx, NOx

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear suitable protective clothing. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

Advice on general occupational hygiene

When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Store only in original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Ensure adequate ventilation of the storage area.

Individual protection measures, such as personal protective equipment

according to Regulation (EC) No 1907/2006

LuxaCore Z Dual Revision date: 15.04.2021 Product code: 2010 Page 3 of 5				
Revision date. 15.04.2021	Floduct code. 2010	Page 3 of 5		
Eye/face protection Tightly sealed safety glass	ses.			
Hand protection				
Tested protective gloves a	Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).			
Respiratory protection				
The following must be pre-	vented: inhalation.			
SECTION 9: Physical and che	emical properties			
9.1. Information on basic physic	cal and chemical properties			
Physical state:	Paste			
Colour:	yellow			
Odour:	like: ester			
Changes in the physical state				
point of decomposition:	> 200 °C			
Flash point:	> 150 °C			
pH-Value (at 20 °C):	not applicable			
Water solubility: (at 20 °C)	1 g/L			
Density:	1.8 g/cm ³			
Relative vapour density:	> 1			

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Light. heat. Decompostion takes place from temperatures above: 200 °C

Decomposition under formation of: Acrylate.

10.5. Incompatible materials

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

10.6. Hazardous decomposition products

In case of fire may be liberated: Gas / vapours, irritant. (Acrylate., pungent)

Further information

Substances sensitive to light.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

LD50: Rat 5000 mg/kg

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
1565-94-2	Bis-GMA					
	oral	LD50 s mg/kg	5000	Rat	literature value	

Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation. Irritant effect on the eye:

according to Regulation (EC) No 1907/2006

LuxaCore Z Dual

Revision date: 15.04.2021

Product code: 2010

Page 4 of 5

Sensitising effects

May cause sensitization by skin contact.

Additional information on tests

Contains Methacrylic esters .: May produce an allergic reaction.

SECTION 12: Ecological information

12.2. Persistence and degradability

Preparation not tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

180106

Do not allow to enter into surface water or drains. Leakage into the environment must be prevented.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of harzardous waste according to official regulations.

List of Wastes Code - residues/unused products

WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

SECTION 14: Transport information

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H413	May cause long lasting harmful effects to aquatic life.

Further Information

according to Regulation (EC) No 1907/2006

LuxaCore Z Dual

Revision date: 15.04.2021

Product code: 2010

Page 5 of 5

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)