according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Entwicklerkonzentrat

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Periomat Intra/C+ Entwicklerkonzentrat

Unique Formula Identifier: 29UF-C4MQ-S604-Y4AP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Special X-ray set for Dürr developers.

Products Category [PC]

PC 30 - Photo-chemicals

Uses advised against

None, if handled according to order.

Remark

The product is intended for professional use.

1.3 Details of the supplier of the safety data sheet

Supplier

orochemie GmbH + Co. KG

Street: Max-Planck-Straße 27

Postal code/City: 70806 Kornwestheim

Telephone: +49 7154 1308-0 **Telefax:** +49 7154 1308-40

Information contact: DÜRR DENTAL SE, Höpfigheimer Str. 17, 74321 Bietigheim-Bissingen, Germany

Tel: +49 7142 705-0, Fax: +49 7142 705-500, info@duerrdental.com

in Great Britain/Ireland:

DÜRR DENTAL Products] UK Ltd., 14 Linnell Way - Telford Way Industrial Estate, Kettering Northants NN16 8PS,

United Kingdom, info@duerruk.com

1.4 Emergency telephone number

INT: +49 6132 84463 (24 h/7 d)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2; H315 - Skin corrosion/irritation: Category 2; Causes skin irritation.

Eye Irrit. 2; H319 - Serious eye damage/eye irritation: Category 2; Causes serious eye irritation.

Classification procedure

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Exclamation mark (GHS07)

Signal word

Warning

Hazard statements

Page: 1 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Entwicklerkonzentrat

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to hazardous or special waste collection point.

Special rules for supplemental label elements for certain mixtures

EUH208 Contains 4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON.May produce an

allergic reaction.

2.3 Other hazards

The mixture does not contain any substances that have endocrine disrupting properties. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

Periomat Intra/C⁺ Developer concentrate contains potassium carbonate, potassium sulfite, complexing agents, stabilizers and auxiliary agents in aqueous solution.

Hazardous ingredients

POTASSIUM CARBONATE; REACH No.: 01-2119532646-36; EC No.: 209-529-3; CAS No.: 584-08-7

Weight fraction : $\geq 10 - < 15 \%$

Classification 1272/2008 [CLP]: Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON; REACH No. : -; EC No. : 235-920-3; CAS No. : 13047-13-7

Weight fraction : $\geq 0.1 - < 0.5 \%$

Classification 1272/2008 [CLP]: Acute Tox. 4; H302 Skin Sens. 1B; H317

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Wash with plenty of water. In case of skin irritation, consult a physician.

After eye contact

Remove contact lenses, keep eyelids open. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

If swallowed, immediately drink: Water Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause sensitisation especially in sensitive humans. Causes skin irritation. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None

Page: 2 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Entwicklerkonzentrat

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date : 03.07.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder Water spray jet Water mist The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

None known.

5.3 Advice for firefighters

Adapt protective equipment to surrounding fire. Do not allow run-off from fire-fighting to enter drains or water courses.

Special protective equipment for firefighters

Adapt protective equipment to surrounding fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. See protective measures under point 7 and 8.

For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

For emergency responders

Personal protection equipment

See protective measures under point 7 and 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep/Store only in original container. Please note safety instructions and directions for use on the drum. Handle and open container with care. Provide adequate ventilation. Do not breathe vapour/aerosol.

Protective measures

Measures to prevent fire

Usual measures for fire prevention. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed. Keep in a cool, well-ventilated place. Do not store in temperatures below 5 $^{\circ}$ C.

Hints on joint storage

Page: 3 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Entwicklerkonzentrat

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date : 03.07.2023

Store the foodstuffs separately.

7.3 Specific end use(s)

Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL-/PNEC-values

There are no data available on the preparation itself.

DNEL/DMEL

POTASSIUM CARBONATE; CAS No.: 584-08-7

Limit value type : DNEL Consumer (local)

 $\begin{array}{lll} \mbox{Exposure route:} & \mbox{Inhalation} \\ \mbox{Exposure frequency:} & \mbox{Long-term} \\ \mbox{Limit value:} & 10 \ \mbox{mg/m}^3 \end{array}$

Limit value type : DNEL Consumer (local)

Exposure route: Dermal
Exposure frequency: Long-term
Limit value: 8 mg/cm²
Limit value type: DNEL worker (local)

Exposure route: Inhalation
Exposure frequency: Long-term
Limit value: 10 mg/m³

Limit value type : DNEL worker (local)

Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 16 mg/cm²

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Eye glasses with side protection EN 166

Skin protection

Hand protection

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.1 mm.

Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Body protection

Body protection: not required.

Respiratory protection

Usually no personal respirative protection necessary.

General information

Keep away from food, drink and animal feedingstuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

Other protection measures

No particular measures required.

SECTION 9: Physical and chemical properties

Page: 4 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Entwicklerkonzentrat

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date : 03.07.2023

9.1 Information on basic physical and chemical properties

Appearance: Liquid
Colour: light yellow
Odour: odourless
Safety characteristics

Melting point/freezing point: (1013 hPa) not determined Initial boiling point and boiling (1013 hPa) not determined range: **Decomposition temperature:** (1013 hPa) not determined Flash point: not applicable Auto-ignition temperature : not applicable Lower explosion limit: not applicable

Auto-ignition temperature:

Lower explosion limit:

Upper explosion limit:

vapour pressure:

(50 °C)

not applicable
not applicable
not determined

pH: 10 - 11 **log P O/W:** not determined

Flow time : (20 °C) < 20 s DIN-cup 4 mm

Odour threshold : not applicable

Maximum VOC content (EC): 0 Weight-%

Oxidising liquids: Not applicable.

Explosive properties: Not applicable.

Corrosive to metals: Not corrosive to metals.

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

None, if handled according to order.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity

Parameter : ATEmix Exposure route : Oral

Page: 5 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Entwicklerkonzentrat

Revision date : 22.06.2023 **Version (Revision) :** 2.1.0 (2.0.0)

Print date: 03.07.2023

Effective dose: not relevant

Parameter: LD50 (POTASSIUM CARBONATE ; CAS No. : 584-08-7)

Exposure route: Oral
Species: Rat
Effective dose: 1870 mg/kg

Parameter: LD50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; CAS No. :

13047-13-7)

Exposure route : Oral
Species : Rat
Effective dose : 1300 mg/kg

Parameter: LD50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; CAS No. :

13047-13-7)

Exposure route : Oral
Species : Rat
Effective dose : 566 mg/kg

Parameter: ATE (POTASSIUM CARBONATE ; CAS No. : 584-08-7)

Exposure route : Ora

Effective dose: approx. 1870 mg/kg

Parameter: ATE (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; CAS No. :

13047-13-7)

Exposure route : Oral
Effective dose : 500 mg/kg
Practical experience/human evidence

May cause sensitisation especially in sensitive humans.

Acute dermal toxicity

Parameter: ATEmix
Exposure route: Dermal
Effective dose: not relevant

Parameter: LD50 (POTASSIUM CARBONATE ; CAS No. : 584-08-7)

Exposure route: Dermal
Species: Rabbit
Effective dose: > 2000 mg/kg

Acute inhalation toxicity

Parameter: ATEmix

Exposure route : Inhalation (vapour)
Effective dose : not relevant

Parameter: LC50 (POTASSIUM CARBONATE ; CAS No. : 584-08-7)

Exposure route: Inhalation
Species: Rat
Effective dose: > 4,96 mg/kg

Exposure time : 4 h

Corrosion

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met. May cause sensitization by skin contact.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Page: 6 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Entwicklerkonzentrat

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date : 03.07.2023

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substances that have endocrine disrupting properties.

Additional information

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

Parameter: LC50 (POTASSIUM CARBONATE ; CAS No. : 584-08-7)

Species: Oncorhynchus mykiss (Rainbow trout)
Evaluation parameter: Acute (short-term) fish toxicity

Effective dose : 68 mg/l Exposure time : 96 h

Parameter: LC50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; CAS No. :

13047-13-7)

Species: Pimephales promelas (fathead minnow)

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose: 1 - 10 mg/l

Parameter: LC50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; CAS No. :

13047-13-7)

Species: Leuciscus idus (golden orfe)
Evaluation parameter: Acute (short-term) fish toxicity

Effective dose: 35 mg/l Exposure time: 48 h

Chronic (long-term) fish toxicity

Parameter: NOEC (POTASSIUM CARBONATE ; CAS No. : 584-08-7)

Species: Oncorhynchus mykiss (Rainbow trout)
Evaluation parameter: Chronic (long-term) fish toxicity

Effective dose : 33 mg/l Exposure time : 96 h Acute (short-term) toxicity to crustacea

Parameter: EC50 (POTASSIUM CARBONATE ; CAS No. : 584-08-7)

Species: Daphnia magna (Big water flea)
Evaluation parameter: Acute (short-term) daphnia toxicity

Effective dose : 200 mg/l Exposure time : 48 h

Parameter: EC50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; CAS No. :

13047-13-7)

Species: Daphnia magna (Big water flea)
Evaluation parameter: Acute (short-term) daphnia toxicity

Effective dose: 7,1 mg/l

Page: 7 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Entwicklerkonzentrat

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

Exposure time: 24 h

Toxicity to microorganisms

Parameter: EC50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON; CAS No.:

13047-13-7)

Species: Pseudomonas putida
Evaluation parameter: Bacteria toxicity
Effective dose: 480 mg/l
Exposure time: 16 h

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Distribution

There are no data available on the preparation itself.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

The mixture does not contain any substances that have endocrine disrupting properties.

12.7 Other adverse effects

No information available.

12.8 Additional ecotoxicological information

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

After intended use

Disposal operations

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Recovery operations

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Waste codes $15\ 01\ 10^*$

Waste codes/waste designations according to EWC/AVV

Concentrate/larger quantities: 09 01 01* water based developer baths.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

Page: 8 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Entwicklerkonzentrat

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

None

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no.: 3, 75

National regulations

Restrictions of occupation

According to directive 94/33/EC, juveniles are only allowed to handle this product as long as all effects of dangerous substances are prevented.

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Special rules for supplemental label elements for certain mixtures · 03. Hazardous ingredients · 15. Restrictions on use

16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimates

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CMR = Carcinogen, Mutagen or Reproductive toxicant

 CO_2 = Carbon dioxide

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EC = European Commission

EC50 = Half maximal effective concentration

EN = European Standard (Norm)

EU = European Union

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

H statement = GHS Hazard statement

IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions

IMDG = International Maritime Dangerous Goods

LC50 = Median lethal concentration

LD50 = Median lethal dose

LogPow = Logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol

of 1978. ("Marpol" = marine pollution)

NOEC/NOEL = No observed effect concentration/level

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No.

Page: 9 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Entwicklerkonzentrat

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

1907/2006]

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RMM = Risk Management Measure RRN = REACH Registration Number

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure

SVHC = Substances of Very High Concern

TLV/STEL = Threshold limit value/short-term exposure limit TLV/TWA = Threshold limit value/time weighted average

UN = United Nations

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

16.3 Key literature references and sources for data

None

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

16.5 Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

16.6 Training advice

Do not handle until all safety precautions have been read and understood.

16.7 Additional information

Follow the instructions for use on the label.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 10 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Fixer concentrate

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Periomat Intra/C+ Fixer concentrate Unique Formula Identifier: not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Special X-ray set for Dürr developers.

Products Category [PC]

PC 30 - Photo-chemicals

Uses advised against

None, if handled according to order.

Remark

The product is intended for professional use.

1.3 Details of the supplier of the safety data sheet

Supplier

orochemie GmbH + Co. KG

Street: Max-Planck-Straße 27

Postal code/City: 70806 Kornwestheim

Telephone: +49 7154 1308-0 **Telefax:** +49 7154 1308-40

Information contact: DÜRR DENTAL SE, Höpfigheimer Str. 17, 74321 Bietigheim-Bissingen, Germany

Tel: +49 7142 705-0, Fax: +49 7142 705-500, info@duerrdental.com

in Great Britain/Ireland:

DÜRR DENTAL [Products] UK Ltd., 14 Linnell Way - Telford Way Industrial Estate, Kettering Northants NN16 8PS,

United Kingdom, info@duerruk.com

1.4 Emergency telephone number

INT: +49 6132 84463 (24 h/7 d)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Although there is no labelling required for this product, we nevertheless advise observation of the safety recommendations.

Classification according to Regulation (EC) No 1272/2008 [CLP]

None

Classification procedure

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to hazardous or special waste collection point.

Special rules for supplemental label elements for certain mixtures

EUH210 Safety data sheet available on request.

2.3 Other hazards

Page: 1 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Fixer concentrate

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

The mixture does not contain any substances that have endocrine disrupting properties. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

Periomat Intra/ C^+ Fixer concentrate contains ammonium thiosulfate, sodium sulfite, organic acids and auxiliary agents in aqueous solution.

Hazardous ingredients

ACETIC ACID; REACH No.: 01-2119475328-30; EC No.: 200-580-7; CAS No.: 64-19-7

Weight fraction : $\geq 1 - < 5 \%$

Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Met. Corr. 1 ; H290 Skin Corr. 1A ; H314 Eye Dam. 1 ; H318 Specific Conc. Limits : Skin Corr. 1A ; H314: $C \ge 90 \% \bullet Eye Dam. 1 ; H318: C \ge 25 \% \bullet Skin Corr. 1B ;$

H314: C \geq 25 % • Skin Corr. 1C ; H314: C \geq 25 % • Eye Irrit. 2 ; H319: C \geq 10 % •

Skin Irrit. 2 ; H315: C ≥ 10 %

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Wash with plenty of water. When in doubt or if symptoms are observed, get medical advice.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

If swallowed, immediately drink: Water Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder Water spray jet Water mist The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

None known.

Hazardous combustion products

Page: 2 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Fixer concentrate

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

None known.

5.3 Advice for firefighters

Adapt protective equipment to surrounding fire.

Special protective equipment for firefighters

Adapt protective equipment to surrounding fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. See protective measures under point 7 and 8.

For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

For emergency responders

Personal protection equipment

See protective measures under point 7 and 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep/Store only in original container. Please note safety instructions and directions for use on the drum. Handle and open container with care. Provide adequate ventilation. Do not breathe vapour/aerosol.

Protective measures

Measures to prevent fire

Usual measures for fire prevention. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed. Keep in a cool, well-ventilated place. Do not store in temperatures below 5 $^{\circ}$ C.

Hints on joint storage

Store the foodstuffs separately.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

ACETIC ACID; CAS No.: 64-19-7

Limit value type (country of origin): STEL (EC)

Page: 3 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Fixer concentrate

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

Limit value: 20 ppm / 50 mg/m³

Version: 20.06.2019

Limit value type (country of origin): STEL (EC)

Limit value : 50 mg/m³ / 20 ppm

Limit value type (country of origin): TWA (EC)

Limit value: 10 ppm / 25 mg/m³

Version : 20.06.2019 Limit value type (country of origin) : TWA (EC)

 $\label{limit_value} \begin{array}{lll} \mbox{Limit value}: & 25 \mbox{ mg/m}^3 \ / \ 10 \mbox{ ppm} \\ \mbox{Limit value type (country of origin)}: & \mbox{TLV/TWA (GB)} \\ \mbox{Limit value}: & 10 \mbox{ ppm} \ / \ 25 \mbox{ mg/m}^3 \\ \end{array}$

DNEL-/PNEC-values

There are no data available on the preparation itself.

DNEL/DMEL

ACETIC ACID; CAS No.: 64-19-7

Limit value type : DNEL Consumer (local)

Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 25 mg/m³

Limit value type : DNEL Consumer (local)

Exposure route: Inhalation
Exposure frequency: Short-term
Limit value: 25 mg/m³
Limit value type: DNEL worker (local)

Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 25 mg/m³

Limit value type: DNEL worker (local)
Exposure route: Inhalation
Exposure frequency: Short-term
Limit value: 25 mg/m³

PNEC

ACETIC ACID; CAS No.: 64-19-7

Limit value type : PNEC (Aquatic, freshwater)

Limit value : 3,058 mg/l

Limit value type : PNEC (Aquatic, marine water)

Limit value : 0,3058 mg/l
Limit value type : PNEC (Industrial)

Exposure route : Soil

Limit value : 0,478 mg/kg

Limit value type : PNEC (Sediment, freshwater)

Limit value: 11,36 mg/kg

Limit value type : PNEC (Sediment, marine water)

Limit value : 1,136 mg/kg

Limit value type : PNEC (Sewage treatment plant)

Limit value : 85 mg/l

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Eye glasses with side protection EN 166

Skin protection

Hand protection

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material

Page: 4 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Fixer concentrate

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

thickness 0.1 mm.

Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Body protection

Body protection: not required.

Respiratory protection

Usually no personal respirative protection necessary.

General information

Keep away from food, drink and animal feedingstuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

Other protection measures

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid
Colour: colourless
Odour: Acetic acid
Safety characteristics

Melting point/freezing point: (1013 hPa) not determined Initial boiling point and boiling (1013 hPa) not determined range: **Decomposition temperature:** (1013 hPa) not determined Flash point: not applicable Auto-ignition temperature : not applicable Lower explosion limit: not applicable not applicable Upper explosion limit: Vapour pressure : (50 °C) not determined (20 °C) Density: q/cm³ approx. 1,18 (20°C) Solvent separation test : 3 <

Water solubility: (20 °C) < 33 % Weight-%

pH: 4,5 - 5,5

log P O/W: not determined

Flow time : $(20 \, ^{\circ}\text{C})$ < $20 \, \text{s}$ DIN-cup 4 mm

Odour threshold : not determined

Maximum VOC content (EC): 2,6 Weight-%

Oxidising liquids:

Explosive properties:

Corrosive to metals:

Not applicable.

Not corrosive to metals.

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

None, if handled according to order.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7). Exothermal reaction with alkalis.

Page: 5 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Fixer concentrate

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

10.3 Possibility of hazardous reactions

Exothermal reaction with alkalis.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity

Parameter: ATEmix
Exposure route: Oral
Effective dose: not relevant

Parameter: LD50 (ACETIC ACID ; CAS No. : 64-19-7)

Exposure route: Oral
Species: Rat
Effective dose: 3310 mg/kg

Practical experience/human evidence

Avoid contact with skin and eyes.

Acute dermal toxicity

Parameter: ATEmix
Exposure route: Dermal
Effective dose: not relevant

Parameter: LD50 (ACETIC ACID ; CAS No. : 64-19-7)

Exposure route : Dermal Species : Rabbit Effective dose : 1060 mg/kg

Acute inhalation toxicity

Parameter: ATEmix

Exposure route : Inhalation (vapour)
Effective dose : not relevant

Parameter: LC50 (ACETIC ACID ; CAS No. : 64-19-7)

Exposure route: Inhalation
Species: Mouse
Effective dose: 5620 mg/l

Corrosion

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Page: 6 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Fixer concentrate

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substances that have endocrine disrupting properties.

Additional information

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

Parameter: LC50 (ACETIC ACID ; CAS No. : 64-19-7)

Species: Leuciscus idus (golden orfe)
Evaluation parameter: Acute (short-term) fish toxicity

Effective dose: 400 - 500 mg/l

Exposure time: 48 h

Parameter: LC50 (ACETIC ACID ; CAS No. : 64-19-7)

Species: Lepomis macrochirus (Bluegill)
Evaluation parameter: Acute (short-term) fish toxicity

Effective dose: 75 mg/l Exposure time: 96 h

Parameter: LC50 (ACETIC ACID ; CAS No. : 64-19-7)
Species: Pimephales promelas (fathead minnow)

Evaluation parameter: Acute (short-term) fish toxicity

Effective dose : 79 mg/l Exposure time : 96 h Acute (short-term) toxicity to crustacea

Parameter: EC50 (ACETIC ACID ; CAS No. : 64-19-7)
Species: Daphnia magna (Big water flea)
Evaluation parameter: Acute (short-term) daphnia toxicity

Effective dose : 95 mg/l Exposure time : 24 h

Acute (short-term) toxicity to algae and cyanobacteria

Parameter: EC0 (ACETIC ACID ; CAS No. : 64-19-7)

Evaluation parameter : Acute (short-term) algae toxicity

Effective dose : 65 mg/l Exposure time : 85 h

Toxicity to microorganisms

Parameter: ECO (ACETIC ACID ; CAS No. : 64-19-7)

Species: Pseudomonas putida
Evaluation parameter: Bacteria toxicity
Effective dose: 2850 mg/l
Exposure time: 16 h

12.2 Persistence and degradability

Biodegradation

Page: 7 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Fixer concentrate

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

No data available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Distribution

There are no data available on the preparation itself.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

The mixture does not contain any substances that have endocrine disrupting properties.

12.7 Other adverse effects

No information available.

12.8 Additional ecotoxicological information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

After intended use

Disposal operations

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Recovery operations

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Waste codes/waste designations according to EWC/AVV

Concentrate/larger quantities: 09 01 04* fixer solutions.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Page: 8 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Fixer concentrate

Revision date: 22.06.2023 **Version (Revision):** 2.1.0 (2.0.0)

Print date: 03.07.2023

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no.: 40, 75

National regulations

Restrictions of occupation

None

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

02. Label elements · 15. Restrictions on use

16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimates

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CMR = Carcinogen, Mutagen or Reproductive toxicant

 CO_2 = Carbon dioxide

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EC = European Commission

EC50 = Half maximal effective concentration

EN = European Standard (Norm)

EU = European Union

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

H statement = GHS Hazard statement

IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions

IMDG = International Maritime Dangerous Goods

LC50 = Median lethal concentration

LD50 = Median lethal dose

LogPow = Logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NOEC/NOEL = No observed effect concentration/level

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No.

1907/2006]

 ${\sf RID} = {\sf The} \; {\sf Regulations} \; {\sf concerning} \; {\sf the} \; {\sf International} \; {\sf Carriage} \; {\sf of} \; {\sf Dangerous} \; {\sf Goods} \; {\sf by} \; {\sf Rail} \;$

RMM = Risk Management Measure

RRN = REACH Registration Number

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

SVHC = Substances of Very High Concern

TLV/STEL = Threshold limit value/short-term exposure limit

TLV/TWA = Threshold limit value/time weighted average

UN = United Nations

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

16.3 Key literature references and sources for data

Page: 9 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Periomat Intra/C⁺ Fixer concentrate

Revision date : 22.06.2023 **Version (Revision) :** 2.1.0 (2.0.0)

Print date: 03.07.2023

None

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

16.5 Relevant H- and EUH-phrases (Number and full text)

H226 Flammable liquid and vapour. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

16.6 Training advice

None

16.7 Additional information

Follow the instructions for use on the label.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 10 / 10