

Page 1/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023 Version number 4 (replaces version 3) Revision: 07.03.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
  - · Trade name: Paladur liquid
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture Manufacture of dental prothesis
- · 1.3 Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

#### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008

H225 Highly flammable liquid and vapour. Flam. Lig. 2

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

methyl methacrylate

1,4-butandioldimethacrylate

2- (2H-Benzotriazol-2-yl) -p-cresol

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray. P260

P273 Avoid release to the environment. P280 Wear protective gloves / eye protection.

Wear protective clothing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· 2.3 Other hazards -

(Contd. on page 2)



Page 2/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023 Version number 4 (replaces version 3) Revision: 07.03.2023

Trade name: Paladur liquid

(Contd. of page 1)

- · Results of PBT and vPvB assessment
  - · PBT: Not applicable. vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
  - · Description:
  - Product based on methacrylates

· Dangerous components:		
CAS: 80-62-6 EINECS: 201-297-1	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	>90%
CAS: 2082-81-7 EINECS: 218-218-1	1,4-butandioldimethacrylate Skin Sens. 1B, H317	≥1-≤5%
CAS: 2440-22-4 EINECS: 219-470-5 Reg.nr.: 01-2119583811-34-xxxx	2- (2H-Benzotriazol-2-yl) -p-cresol Aquatic Chronic 1, H410 Skin Sens. 1B, H317	≥0.25-<1%
CAS: 99-97-8 EINECS: 202-805-4 Reg.nr.: 01-2119956633-31-xxxx	N,N-dimethyl-p-toluidine Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. (2, H330 STOT RE 2, H373 Aquatic Chronic 3, H412	<1%

<sup>·</sup> Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
  - After inhalation Supply fresh air; consult doctor in case of symptoms.
  - After skin contact If skin irritation continues, consult a doctor.
  - After eye contact
  - Rinse opened eye for several minutes under running water. Then consult doctor.
  - After swallowing
  - Rinse out mouth and then drink plenty of water.
  - In case of persistent symptoms consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
  - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
  - For safety reasons unsuitable extinguishing agents Water.
- · 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
  - Protective equipment: No special measures required.

(Contd. on page 3)



Page 3/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023 Version number 4 (replaces version 3) Revision: 07.03.2023

Trade name: Paladur liquid

· Additional information -

(Contd. of page 2)

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective equipment. Keep unprotected persons away.

   6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Do not flush with water or aqueous cleansing agents

Send for recovery or disposal in suitable containers.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
  - Storage
    - Requirements to be met by storerooms and containers: Store in cool location.
    - Information about storage in one common storage facility: Not required.
    - Further information about storage conditions:

Store cool (not above 25 °C).

Store in cool, dry conditions in well sealed containers.

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:			
80-62-6 methyl methacrylate			
WEL (Great Britain)	Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm		

IOELV (European Union) Short-term value: 100 ppm

Long-term value: 50 ppm

· DNELs

# 80-62-6 methyl methacrylate

Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)

(Contd. on page 4)



Page 4/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023 Version number 4 (replaces version 3) Revision: 07.03.2023

Trade name: Paladur liquid

				(Contd. of pag
Inhalative	worker industrial, acute, local		416 mg/m3 (not defined)	
	worker industrial, long term, systemic		348.4 mg/m3 (not defined)	
worker industrial, lo		rm, local	208 mg/m3 (not defined)	
	general population, acute	e, local	208 mg/m3 (not defined)	
	general population, long	term, systemic	74.3 mg/m3 (not defined)	
2082-81-7	1,4-butandioldimethaci	rylate		
Oral	general population, long	term, systemic	2.5 mg/Kg (not defined)	
Dermal	worker industrial, long te	rm, systemic	4.2 mg/Kg/d (not defined)	
	general population, long	term, systemic	2.5 mg/Kg/d (not defined)	
Inhalative	worker professional, long	g term, systemic	14.5 mg/m3 (not defined)	
	general population, long	term, systemic	4.3 mg/m3 (not defined)	
2440-22-4	2- (2H-Benzotriazol-2-y	l) -p-cresol		
Oral	general population, long	term, systemic	1.2 mg/Kg (not defined)	
Dermal	worker industrial, long te	rm, systemic	2.5 mg/Kg/d (not defined)	
	general population, long	term, systemic	1.2 mg/Kg/d (not defined)	
Inhalative	worker industrial, acute,	systemic	1 mg/m3 (not defined)	
	worker industrial, long te	•	1 mg/m3 (not defined)	
	worker professional, long	term, local	1 mg/m3 (not defined)	
· PNE			, ,	
	ethyl methacrylate			
freshwater		0.94 mg/l (not a	lefined)	
marine wa		0.094 mg/l (not	,	
	eatment plant	10 mg/l (not dei	,	
-	dry weight, freshwater	10.2 mg/Kg (no	•	
	dry weight, marine water	<b>.</b> .	,	
soil, dry w		1.48 mg/Kg (no	,	
	' 1,4-butandioldimethacı			
freshwater		0.043 mg/l (not	defined)	
marine wa		0.004 mg/l (not	,	
sewage treatment plant		2 mg/l (not defir	· · · · · · · · · · · · · · · · · · ·	
sediment, dry weight, freshwater		3.12 mg/Kg (no	•	
sediment, dry weight, marine water soil, dry weight		<b>.</b> .	•	
		0.573 mg/Kg (n	,	
	2- (2H-Benzotriazol-2-y	<u> </u>	<u> </u>	
freshwater		0 mg/l (not defir	ned)	
marine water		0 mg/l (not defir	•	
sewage treatment plant		1 mg/l (not defir	,	
sediment, dry weight, freshwater		0.136 mg/Kg (n	•	
sediment, dry weight, marine water			,	
soil, dry w		100 mg/Kg (not	,	
			valid during the compilation wer	a used so besis

<sup>·</sup> Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 5)

<sup>· 8.2</sup> Exposure controls

<sup>·</sup> Appropriate engineering controls No further data; see item 7.



Page 5/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023

Version number 4 (replaces version 3)

# Trade name: Paladur liquid

(Contd. of page 4)

Revision: 07.03.2023

#### · Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

#### Breathing equipment:

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

#### ·Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

recommended

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

- · Eye/face protection Tightly sealed safety glasses.
- Body protection: Light weight protective clothing

#### SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

General Information

· Physical state · Colour:

Colour

· Smell:

· Odour threshold:

· Melting point/freezing point:

Boiling point or initial boiling point and

boiling range

Flammability

Lower and upper explosion limit

· Lower:

· Upper:

· Flash point: · Ignition temperature:

Decomposition temperature:

Fluid

Colourless

Characteristic

Not determined.

Not determined

100 °C

Not applicable.

2.1 Vol % 12.5 Vol %

10 °C (80-62-6 methyl methacrylate)

430 °C

Not determined.

(Contd. on page 6)



Page 6/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023 Version number 4 (replaces version 3) Revision: 07.03.2023

Trade name: Paladur liquid

	(Contd. of page s
·SAPT	
Paladur liquid > 60 °C	
· SADT	
· pH	Mixture is non-soluble (in water).
· Viscosity:	
· Kinematic viscosity	Not determined.
dynamic at 20 °C:	1 mPas
Solubility	A
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log	
value)	Not determined. 47 hPa
Steam pressure at 20 °C:	47 IIPa
Density and/or relative density Density at 20 °C	0.94613 g/cm³
Relative density	Not determined.
· Vapour density	Not determined.
	further relevant information available.
Appearance:	First
· Form:	Fluid
Important information on protection of	
health and environment, and on safety.	Product is not selfigniting.
Self-inflammability: Explosive properties:	Product is not semigning.  Product is not explosive. However, formation of
Explosive properties.	explosive air/vapour mixtures is possible.
· Solvent content:	explosive allivapour mixtures is possible.
· Solids content:	1.0 %
· Change in condition	
Evaporation rate	Not determined.
· Information with regard to physical hazard	
classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
· Self-reactive substances and mixtures · Pyrophoric liquids	Void Void
Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	7 OIG
flammable gases in contact with water	Void
Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 7)



Page 7/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023 Version number 4 (replaces version 3) Revision: 07.03.2023

Trade name: Paladur liquid

(Contd. of page 6)

- · 10.2 Chemical stability
  - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
  - · Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

	Acute toxicity based on available data, the classification chiefla are not met.			
	· LD/LC50 values that are relevant for classification:			
	80-62-6 methyl methacrylate			
	Oral	LD50	~7,900 mg/kg (rat)	
	Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)	
	Inhalative LC50/4 h 29.8 mg/l (rat)			
	2082-81-7 1,4-butandioldimethacrylate			
	Oral	LD50	10,066 mg/kg (rat) (OECD 401)	
	2440-22-4 2- (2H-Benzotriazol-2-yl) -p-cresol			
	Oral	LD50	10,000 mg/kg (rat) (OECD 423)	
	99-97-8 N,N-dimethyl-p-toluidine			
Γ	Oral	LD50	139 mg/kg (rat)	

- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
  - · Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

- · 12.1 Toxicity
  - · Aquatic toxicity:

#### 80-62-6 methyl methacrylate

EC50/21d 49 mg/L (daphnia) (OECD 211)

EC50/48h 69 mg/l (daphnia) (EPA OTS 797.1300)

(Contd. on page 8)



Page 8/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023

Version number 4 (replaces version 3)

Revision: 07.03.2023

# Trade name: Paladur liquid

NOTO (04)	(Contd. of pa		
NOEC / 21d   37 mg/l (daphnia) (OECD 211)			
ErC50 / 72 h >110 mg/l (algae) (OECD 201)			
	NOEC / 72h   110 mg/l (algae) (OECD 201)		
	48 mg/l (daphnia) (EPA OTS 797.1300)		
	>110 mg/l (algae) (OECD 201)		
	9.4 mg/L (fish) (OECD 210)		
LC50/ 35d	33.7 mg/L (fish) (OECD 210)		
-	4-butandioldimethacrylate		
EC50/21d	14.1 mg/L (daphnia) (OECD 211)		
EC50/48h	32.5 mg/l (fish)		
NOEC / 21d	5.09 mg/l (daphnia) (OECD 211)		
ErC50 / 72 h	9.79 mg/l (algae) (OECD 201)		
NOEC / 72h	2.11 mg/l (algae) (OECD 201)		
NOEC / 48h	25 mg/l (fish)		
ErC10/72h	4.35 mg/L (algae) (OECD 201)		
2440-22-4 2-	(2H-Benzotriazol-2-yl) -p-cresol		
EC50/72h	>100 mg/l (algae)		
EC50/21d	0.015 mg/L (daphnia) (OECD 211)		
LC50/96h	250/96h >0.17 mg/l (fish) (OECD 203)		
NOEC / 21d	0.013 mg/l (daphnia) (OECD 211)		
ErC50 / 72 h	>0.0822 mg/l (algae) (OECD 201)		
NOEC / 96h	0.17 mg/l (fish) (OECD 203)		
EC50 / 24h	>1,000 mg/l (daphnia) (OECD 202)		
ErC10/72h	0.0588 mg/L (algae) (OECD 201)		
	dimethyl-p-toluidine		
LC50/96h	100 mg/l (fish)		
· 12.2 Persist	ence and degradability		
	hyl methacrylate		
•	on 94 % /14d (not defined) (OECD 301C)		
	4-butandioldimethacrylate		
	on 84 % /28d (not defined) (OECD 310)		
	(2H-Benzotriazol-2-yl) -p-cresol		
Biodegradati	on 0-2 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)		

- 12.3 Bioaccumulative potential No further relevant information available.
  12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
  PBT: Not applicable.
  vPvB: Not applicable.

• 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
  - Additional ecological information:
    - General notes:

Do not allow product to reach ground water, water bodies or sewage system.

(Contd. on page 9)



Page 9/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023 Version number 4 (replaces version 3) Revision: 07.03.2023

Trade name: Paladur liquid

(Contd. of page 8)

Danger to drinking water if even small quantities leak into soil.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage

Disposal must be made according to official regulations.

- Uncleaned packagings: Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

14.1 UN number or ID number	
· ADR, IMDG, IATA	UN1247
14.2 UN proper shipping name ADR	1247 METHYL METHACRYLATE MONOME STABILIZED solution
· IMDG, IATA	METHYL METHACRYLATE MONOME STABILIZED solution
14.3 Transport hazard class(es)	
· ADR	
· Class · Label	3 (F1) Flammable liquids. 3
· IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
· Kemler Number: · EMS Number:	339 F-E,S-D
Stowage Category	г- <u>-</u> ,3-D В



Page 10/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023 Version number 4 (replaces version 3) Revision: 07.03.2023

Trade name: Paladur liquid

	(Contd. of page 9
· Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according IMO instruments	to Not applicable.
· Transport/Additional information:	-
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging
· Transport category · Tunnel restriction code	30 ml Maximum net quantity per outer packaging 500 ml 2 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging 30 ml Maximum net quantity per outer packaging 500 ml
· UN "Model Regulation":	UN 1247 METHYL METHACRYLAT MONOMER, STABILIZED SOLUTION, 3, II

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Directive 2012/18/EU
    - · Named dangerous substances ANNEX I None of the ingredients is listed.
    - · Seveso category P5c FLAMMABLE LIQUIDS
    - Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
    - · Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 11)



Page 11/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.03.2023

Version number 4 (replaces version 3)

Revision: 07.03.2023

(Contd. of page 10)

### Trade name: Paladur liquid

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature SAPT: Self Accelerating Polymerisation Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPVB: very Persistent and very Bioaccumulative

vPvB: very Persistent and very Bioaccumulative

vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
\*\*Pata compared to the previous version altered

\* Data compared to the previous version altered.