

Page 1/10

Revision: 07.07.2022

Tel.: +49 (0)800 4372522

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2022 Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - · Trade name: Palapress powder
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Manufacture of dental prothesis
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

· Informing department: E-Mail: msds@kulzer-dental.com

· 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS07 GHS09

- · Signal word Warning
- · Hazard-determining components of labelling:

dibenzoyl peroxide

methyl methacrylate

· Hazard statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- · 2.3 Other hazards -
 - · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - · Description: Product based on methacrylate copolymers

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2022 Version number 4 (replaces version 3) Revision: 07.07.2022

Trade name: Palapress powder

(Contd. of page 1)

· Dangerous components:		
CAS: 94-36-0 EINECS: 202-327-6	dibenzoyl peroxide Self-react. B, H241; Org. Perox. B, H241 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) Eye Irrit. 2, H319; Skin Sens. 1, H317	_ ≥1-<2.5%
CAS: 80-62-6 EINECS: 201-297-1	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	_ ≥1-≤5%
CAS: 72846-00-5	1-benzyl-5-phenylbarbituric acid Acute Tox. 4, H302; Eye Irrit. 2, H319 ATE: LD50 oral: 500 mg/kg	_ ≥0-≤5%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact If skin irritation continues, consult a doctor.
 - · After eye contact
 - Rinse opened eye for several minutes under running water. Then consult doctor.
 - After swallowing
 - Rinse out mouth and then drink plenty of water.
 - In case of persistent symptoms consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
 - · Protective equipment: No special measures required.
 - · Additional information -

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up: Collect mechanically.
- · 6.4 Reference to other sections
- No dangerous materials are released.
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

GB



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2022 Version number 4 (replaces version 3) Revision: 07.07.2022

Trade name: Palapress powder

(Contd. of page 2)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
 - Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: Store cool (not above 25 °C).
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection	
· 8.1 Control parameters	
· Components with critical values that require monitoring at the workplace:	
94-36-0 dibenzovl peroxide	

Long-term value: 5 mg/m³

80-62-6 methyl methacrylate WEL (Great Britain) Short-term value: 416 mg/m³, 100 ppm

Long-term value: 208 mg/m³, 50 ppm

Short-term value: 100 ppm IOELV (European Union) Long-term value: 50 ppm

· DNELs

WEL (Great Britain)

94-36-0	dibenzoyl	peroxide

Oral general population, long term, systemic 2 mg/Kg (not defined) worker industrial, long term, systemic 13.3 mg/Kg/d (not defined) Dermal Inhalative worker industrial, long term, systemic 39 mg/m3 (not defined)

80-62-6 methyl methacrylate

Oral general population, long term, systemic 8.2 mg/Kg (not defined) worker industrial, long term, systemic 13.67 mg/Kg/d (not defined) Dermal general population, long term, systemic 8.2 mg/Kg/d (not defined) worker industrial, acute, local 416 mg/m3 (not defined) Inhalative 348.4 mg/m3 (not defined) worker industrial, long term, systemic worker industrial, long term, local 208 mg/m3 (not defined) general population, acute, local 208 mg/m3 (not defined) general population, long term, systemic 74.3 mg/m3 (not defined)

· PNECs

94-36-0 dibenzoyl peroxide

0.00002 mg/l (not defined) freshwater marine water 0.000002 mg/l (not defined) sewage treatment plant 0.35 mg/l (not defined) sediment, dry weight, freshwater 0.013 mg/Kg (not defined) sediment, dry weight, marine water 0.001 mg/Kg (not defined) 0.003 mg/Kg (not defined) soil, dry weight

80-62-6 methyl methacrylate

freshwater 0.94 mg/l (not defined)

(Contd. on page 4)



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2022 Version number 4 (replaces version 3) Revision: 07.07.2022

Trade name: Palapress powder

(Contd. of page 3)

marine water 0.094 mg/l (not defined) 10 mg/l (not defined) sewage treatment plant sediment, dry weight, freshwater 10.2 mg/Kg (not defined) sediment, dry weight, marine water 0.102 mg/Kg (not defined) soil, dry weight 1.48 mg/Kg (not defined)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

· Breathing equipment: Not necessary if room is well-ventilated.

Hand protection

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not determined

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- Eye/face protection Tightly sealed safety glasses.
- · Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state Solid. · Colour: Colourless Pink

White Nearly odourless Not determined.

Odour threshold: · Melting point/freezing point:

Boiling point or initial boiling point and boiling range

Not determined · Flammability Not determined. · Lower and upper explosion limit

Not determined. Lower: Upper: Not determined. Flash point: Not applicable

(Contd. on page 5)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2022 Version number 4 (replaces version 3) Revision: 07.07.2022

Trade name: Palapress powder

(Contd. of page 4)

Ignition temperature: 400 °C

Decomposition temperature: Not determined.

·SADT

· **pH** Mixture is non-soluble (in water).

· Viscosity:

• Kinematic viscosity Not applicable. • dynamic: Not applicable.

Solubility Water:

Insoluble

Not determined.

Not applicable.

· Partition coefficient n-octanol/water (log

value)

· Steam pressure: · Density and/or relative density

Density
 Relative density
 Vapour density
 Not determined
 Not determined
 Not applicable

• 9.2 Other information No further relevant information available.

Appearance:

Form: Powder

Important information on protection of health and environment, and on safety.

Self-inflammability: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of

Void

Void

explosive powder/air mixtures is possible.

Solvent content:

Solids content: 100.0 %

Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard classes

Void · Explosives Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void

SECTION 10: Stability and reactivity

· Corrosive to metals

· Desensitised explosives

· 10.1 Reactivity No further relevant information available.

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2022 Version number 4 (replaces version 3) Revision: 07.07.2022

Trade name: Palapress powder

(Contd. of page 5)

- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - Additional information: -

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

Acute	Acute toxicity based on available data, the classification chiefla are not met.		
· LD /	· LD/LC50 values that are relevant for classification:		
94-36-0 di	94-36-0 dibenzoyl peroxide		
Oral	LD0	>2,000 mg/kg (mouse) (OECD 401)	
Inhalative	LC0/4h	24.3 ppm (rat) (OECD 403)	
80-62-6 m	80-62-6 methyl methacrylate		
Oral	LD50	~7,900 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)	
Inhalative	LC50/4 h	29.8 mg/l (rat)	
72846-00-5 1-benzyl-5-phenylbarbituric acid			
Oral	LD50	500 mg/kg (ATE)	
		500 mg/kg (rat) (OECD 423)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.

 Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity	12.1 loxicity		
· Aquatic toxicity:			
94-36-0 dibe	nzoyl peroxide		
EC50/72h	0.042 mg/l (algae) (OECD 201)		
EC50/48h	0.11 mg/l (daphnia) (OECD 202)		
LC50/96h	0.06 mg/l (fish) (OECD 203)		
ErC50 / 72 h	0.071 mg/l (algae) (OECD 201)		
NOEC / 72h	0.02 mg/l (algae) (OECD 201)		
NOEC / 96h	0.032 mg/l (fish) (OECD 203)		
	(Contd. on page 7)		



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2022 Version number 4 (replaces version 3) Revision: 07.07.2022

Trade name: Palapress powder

	(Contd. of pa
NOEC / 48h	0.076 mg/l (daphnia) (OECD 202)
ErC10	0.001 mg/L /21d (daphnia) (OECD 211)
80-62-6 metl	hyl methacrylate
EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)
72846-00-5 1	-benzyl-5-phenylbarbituric acid
EC50/48h	>50 mg/l (daphnia) (OECD 202)
ErC50 / 72 h	>50 mg/l (algae) (OECD 201)
· 12.2 Persiste	ence and degradability
94-36-0 dibe	nzoyl peroxide
Biodegradation	on 71 % /28d (not defined) (OECD 301D)
80-62-6 meth	nyl methacrylate
•	on 94 % /14d (not defined) (OECD 301C)
	-benzyl-5-phenylbarbituric acid
Biodegradation	on 29.1 % /29d (not defined) (OECD 301D)
40 0 D'	

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment
- - PBT: Not applicable.
 - · vPvB: Not applicable.

• 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - Remark: Toxic for fish
 - · Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage

Disposal must be made according to official regulations.

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2022

Version number 4 (replaces version 3)

Revision: 07.07.2022

Trade name: Palapress powder

(Contd. of page 7)

Uncleaned packagings:
 Recommendation:
 Disposal must be made according to official regulations.
 Non contaminated packagings can be used for recycling.

SECTION 14: Transport informa	
14.1 UN number or ID number ADR, IMDG, IATA	UN3077
14.2 UN proper shipping name ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoy peroxide)
· IMDG, IATA	ENVIRONMENTALLY HAZARDOU, SUBSTANCE, SOLID, N.O.S. (dibenzoy peroxide)
14.3 Transport hazard class(es)	
· ADR	
9	
Class	 9 (M7) Miscellaneous dangerous substance and articles.
· Label	9
· IMDG	
Ap	
9	
· Class	9 Miscellaneous dangerous substances an articles.
· Label	9
· IATA	
¥2	
· Class	9 Miscellaneous dangerous substances an articles.
· Label	9
· 14.4 Packing group · ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No Symbol (fish and troe)
· Special marking (ADR):	Symbol (fish and tree) (Contd. on page



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2022 Version number 4 (replaces version 3) Revision: 07.07.2022

Trade name: Palapress powder

	(Contd. of page
· Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
· Kemler Number:	90
· EMS Number:	F-A,S-F
Stowage Category	A
Stowage Code	SW23 When transported in BK3 but container, see 7.6.2.12 and 7.7.3.9.
14.7 Maritime transport in bulk accordin	
IMO instruments	Not applicable.
· Transport/Additional information:	-
· ADR	
Limited quantities (LQ)	5 kg
Excepted quantities (ÉQ)	Code: E1
	Maximum net quantity per inner packagin
	30 g
	Maximum net quantity per outer packagin
Transment automore	1000 g
· Transport category · Tunnel restriction code	3
	<u>(-)</u>
· IMDG	E Inn
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packagin
	30 g
	Maximum net quantity per outer packagin
	1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOU
_	SUBSTANCE, SOLID, N.O.S. (DIBENZO)
	PEROXIDE), 9, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
 - · Seveso category E1 Hazardous to the Aquatic Environment
 - · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour. H241 Heating may cause a fire or explosion.

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2022

Version number 4 (replaces version 3)

Revision: 07.07.2022

Trade name: Palapress powder

(Contd. of page 9)

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADDITECTION AND ACCOMPOSITION Temperature

ADDITECTION TEMPERATURE

ADR. Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System of Classification and Labelling of Chemical EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic Page Services and Service Programment PBT: Persistent and year Bioaccumulative

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2

Self-react. B: Self-reactive substances and mixtures – Type B

Org. Perox. B: Organic peroxides – Type B Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Irrit. 2: Skin corrosion/irritation — Category 2
Eye Irrit. 2: Skin corrosion/irritation — Category 2
Skin Sens. 1: Skin sensitisation — Category 1
STOT SE 3: Specific target organ toxicity (single exposure) — Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard — Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

* Data compared to the previous version altered.