according to 1907/2006/EC, Article 31

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

Start

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SmartCem 2 Catalyst

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture self adhesive cement
- Uses advised against No further relevant information available.
- \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Dentsply DeTrey GmbH De-Trey-Str. 1 D-78467 Konstanz GERMANY Tel.: +49-(0)7531-583-0 Fax: +49-(0)7531-583-104 email: KonstanzDEU.info-sdb@dentsplysirona.com

- Further information obtainable from: Research and Development
- 1.4 Emergency telephone number: +49-(0)7531-583-0 8:00 17:00 (GMT + 1:00)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

- *Eye Irrit. 2 H319 Causes serious eye irritation.*
- Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- *The product is classified and labelled according to the CLP regulation. Hazard pictograms*



GHS07

· Signal word Warning

	mining components of labelling:
Urethane mo	dified Bis-GMA dimethacrylate resin
2,2'-ethylene	dioxydiethyl dimetharcylate
· Hazard state	ments
H315 Causes	skin irritation.
H319 Causes	serious eye irritation.
	use an allergic skin reaction.
H412 Harmfi	I to aquatic life with long lasting effects.
· Precautional	y statements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+	-P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international

P501 Dispose of contents/container in accordance with local/regional/national/internative regulations.

• Additional information:

As this product is a medical device in the meaning of Directive 93/42/EEC and regulation (EC) 2017/745 and intended for use by the end consumer and is applied in an invasive manner or body contact, it is exempt from the labelling requirements according to regulation (EC) 1272/2008.

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

(Contd. of page 1)

Trade name: SmartCem 2 Catalyst

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 87699-25-0	Dipentaerythritol pentaacrylate phosphate Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Specific concentration limit: STOT SE 3; $C \ge 10 \%$	≥ 2.5 - < 10%
CAS: 41637-38-1	Urethane modified Bis-GMA dimethacrylate resin Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	≥ 2.5 - < 10%
CAS: 105883-40-7	Urethane Dimethacrylate Resin Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥ 2.5 - < 10%
CAS: 3290-92-4	propylidynetrimethyl trimethacrylate Aquatic Chronic 2, H411	≥ 2.5 - < 10%
CAS: 109-16-0 EINECS: 203-652-6	2,2'-ethylenedioxydiethyl dimetharcylate Skin Sens. 1, H317	≥ 2.5 - < 10%
CAS: 80-15-9 EINECS: 201-254-7	$ \alpha, \alpha$ -dimethylbenzyl hydroperoxide Org. Perox. E, H242; Acute Tox. 3, H331; STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 % STOT SE 3; H335: C ≥ 10 %	≥ 0.25 - < 1%
CAS: 79-10-7 EINECS: 201-177-9	acrylic acid Flam. Liq. 3, H226; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335 Specific concentration limit: STOT SE 3; H335: $C \ge 1 \%$	≥ 0.25 - < 1%
CAS: 131-57-7 EINECS: 205-031-5	oxybenzone Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≤2.5%
· Additional informat	ion For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing If symptoms persist consult doctor.
- · Information for doctor No further relevant information available.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. (Contd. on page 3)

d. on page 3)

according to 1907/2006/EC, Article 31

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

(Contd. of page 2)

Trade name: SmartCem 2 Catalyst

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Observe normal care for working with chemicals.

· Information about fire - and explosion protection: No special measures required.

· Handling Product is intended for dental use only.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment

• General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

(Contd. on page 4)

GB

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

(Contd. of page 3)

Trade name: SmartCem 2 Catalyst

Avoid contact with the eyes and skin. · Respiratory protection: Not necessary if room is well-ventilated. · Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Natural rubber, NR

Recommended thickness of the material: ≥ 0.12 mm

Permeation: Level ≥1

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles.

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

General Information		
Physical state	Solid.	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	undetermined	
Boiling point or initial boiling point and boiling		
range	Undetermined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	
Ignition temperature:	<i>Not applicable</i>	
Decomposition temperature:	Not determined.	
pH	Not applicable.	
Viscosity:		
Kinematic viscosity	Not applicable.	
dynamic:	Not applicable.	
Solubility		
Water:	Insoluble	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not applicable.	
Density and/or relative density		
Density:	Not determined	

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

Trade name: SmartCem 2 Catalyst

	(Contd. of page
Relative density	Not determined.
Vapour density	Not applicable.
9.2 Other information	
Appearance:	
Form:	paste
Important information on protection of hea	lth and
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	60.0 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard	classes
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamn	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known
- \cdot 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

$\cdot LD/LC50$	values re	elevant for	clas	sific	ation	ı:	

CAS: 3290	0-92-4 pro	pylidynetrimethyl trimethacrylate			
Oral	LD50	> 2,000 mg/kg (rat)			
CAS: 109-	CAS: 109-16-0 2,2'-ethylenedioxydiethyl dimetharcylate				
Oral	LD50	> 5,000 mg/kg (rat)			
Dermal	LD50	> 2,000 mg/kg (mouse)			

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

Trade name: SmartCem 2 Catalyst

		(Contd. of page 5)
CAS: 80-1	l 5-9 a,a -di	imethylbenzyl hydroperoxide
Oral	LD50	382 mg/kg (rat)
Dermal	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)
CAS: 79-1	10-7 acrylic	e acid
Oral	LD50	1,500 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (ATE)
CAS: 131	-57-7 oxybe	enzone
Oral	LD50	7,400 mg/kg (rat)
Dermal	LD50	> 16,000 mg/kg (rabbit)
		tion Causes skin irritation.
		irritation Causes serious eye irritation.
-	•	ensitisation May cause an allergic skin reaction.
• 11.2 Infor	mation on	other hazards

· Endocrine disrupting properties

CAS: 131-57-7 oxybenzone

List II

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

CAS: 3290-92-4 propylidynetrimethyl trimethacrylate

LC50/96h 2 mg/l (Fish acute toxicity study)

EC50/48h > 9.22 mg/L (daphnia magna)

CAS: 109-16-0 2,2'-ethylenedioxydiethyl dimetharcylate

LC50/96h 16.4 mg/l (Brachydanio rerio)

EC50/72h > 100 mg/l (Pseudokirchnerella subcapitata)

CAS: 79-10-7 acrylic acid

LC50/96h 27 mg/l (Fish acute toxicity study)

EC50/48h 95 mg/L (daphnia magna)

CAS: 131-57-7 oxybenzone

LC50/96h 100 mg/l (Fish acute toxicity study)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Remark: Harmful to fish

· Additional ecological information:

· General notes:

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or sewage system.

Harmful to aquatic organisms

(Contd. on page 7)

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

(Contd. of page 6)

Trade name: SmartCem 2 Catalyst

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
• 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IM instruments	<i>IO</i> Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

· Relevant phrases

H226 Flammable liquid and vapour. H242 Heating may cause a fire. H302 Harmful if swallowed. H312 Harmful in contact with skin.

(Contd. on page 8)

⁻ GB

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

Trade name: SmartCem 2 Catalyst

(Contd. of page 7)
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
• Department issuing SDS: Research & Development
· Contact: HotLine for urgent technical support: +49-7531-583-350
· Abbreviations and acronyms:
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Org. Perox. E: Organic peroxides – Type E/F
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3 Shin Comm. 14: Shin commercian limitation – Category 14
Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1D. Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
· * Data compared to the previous version altered.
GB

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: SmartCem 2 Base

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture self adhesive cement
- Uses advised against No further relevant information available.
- \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Dentsply DeTrey GmbH De-Trey-Str. 1 D-78467 Konstanz GERMANY Tel.: +49-(0)7531-583-0 Fax: +49-(0)7531-583-104 email: KonstanzDEU.info-sdb@dentsplysirona.com

- Further information obtainable from: Research and Development
- 1.4 Emergency telephone number: +49-(0)7531-583-0 8:00 17:00 (GMT + 1:00)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

- *Eye Irrit. 2 H319 Causes serious eye irritation.*
- Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation. Hazard pictograms



GHS07

· Signal word Warning

· Hazard-determining components of labelling: 2-hydroxyethyl methacrylate Urethane modified Bis-GMA dimethacrylate resin 3-(Acryloyloxy)-2-hydroxypropyl methacrylate 2,2'-ethylenedioxydiethyl dimetharcylate · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. Wear protective gloves / eye protection / face protection. P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2)

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

(Contd. of page 1)

Trade name: SmartCem 2 Base

• Additional information:

As this product is a medical device in the meaning of Directive 93/42/EEC and regulation (EC) 2017/745 and intended for use by the end consumer and is applied in an invasive manner or body contact, it is exempt from the labelling requirements according to regulation (EC) 1272/2008.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous compone	ents:	
CAS: 868-77-9	2-hydroxyethyl methacrylate	≥2.5 - < 10%
EINECS: 212-782-2	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 41637-38-1	Urethane modified Bis-GMA dimethacrylate resin	≥2.5 - < 10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 105883-40-7	Urethane Dimethacrylate Resin	≥2.5 - < 10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 3290-92-4	propylidynetrimethyl trimethacrylate	≥2.5 - < 10%
	Aquatic Chronic 2, H411	
CAS: 109-16-0	2,2'-ethylenedioxydiethyl dimetharcylate	≥2.5 - < 10%
EINECS: 203-652-6	Skin Sens. 1, H317	
CAS: 1709-71-3	3-(Acryloyloxy)-2-hydroxypropyl methacrylate	≥1-≤2.5%
	Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 131-57-7	oxybenzone	<i>≤2.5%</i>
EINECS: 205-031-5	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
· Additional informat	ion For the wording of the listed hazard phrases refer to section 16.	·

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing If symptoms persist consult doctor.
- · Information for doctor No further relevant information available.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents

- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

(Contd. of page 2)

Trade name: SmartCem 2 Base

- 5.3 Advice for firefighters
- · Protective equipment: Self-contained respiratory protective device.
- **SECTION 6:** Accidental release measures
- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- · 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- Pick up mechanically.
- Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Observe normal care for working with chemicals.

• Information about fire - and explosion protection: No special measures required.

· Handling Product is intended for dental use only.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection



Protective gloves.

(Contd. on page 4)

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

Trade name: SmartCem 2 Base

(Contd. of page 3) The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Natural rubber, NR

Recommended thickness of the material: $\geq 0.12 \text{ mm}$

Permeation: Level $\geq l$

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles.

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: According to product specification · Odour: Characteristic · Odour threshold: Not determined. • Melting point/freezing point: undetermined · Boiling point or initial boiling point and boiling Undetermined. range · Flammability Not applicable. · Lower and upper explosion limit Not determined. · Lower: · Upper: Not determined. · Flash point: *Not applicable Not applicable* · Ignition temperature: • Decomposition temperature: Not determined. Not determined. $\cdot pH$ · Viscosity: · Kinematic viscosity Not determined. · dynamic: Not determined. · Solubility Not miscible or difficult to mix · Water: · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined. · Density and/or relative density Not determined · Density: · Relative density Not determined. · Vapour density Not determined. • 9.2 Other information · Appearance: · Form: paste (Contd. on page 5)

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

Trade name: SmartCem 2 Base

	(Contd. of page
· Important information on protection of heal	th and
environment, and on safety.	
• Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard	classes
• Explosives	Void
· Flammable gases	Void
· Aerosols	Void
• Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamm	able
gases in contact with water	Void
· Oxidising liquids	Void
• Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 20,000 mg/kg (rat)

CAS: 868-77-9 2-hydroxyethyl methacrylate

 $Oral \quad LD50 > 5,000 \text{ mg/kg (rat)}$

Dermal | LD50 | > 3,000 mg/kg (rabbit)

CAS: 3290-92-4 propylidynetrimethyl trimethacrylate

Oral LD50 > 2,000 mg/kg (rat)

CAS: 109-16-0 2,2'-ethylenedioxydiethyl dimetharcylate

 $Oral \quad LD50 > 5,000 \text{ mg/kg (rat)}$

Dermal | LD50 | > 2,000 mg/kg (mouse)

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

Printing date 22.03.2022

Version number 5 (replaces version 4)

(Contd. of page 5)

List II

Trade name: SmartCem 2 Base

CAS: 1709-71-3 3-	(Acryloyloxy)-2-hydroxypropyl	methacrvlate

Oral LD50 500 mg/kg (ATE)

CAS: 131-57-7 oxybenzone

Oral LD50 7,400 mg/kg (rat)

Dermal | LD50 | > 16,000 mg/kg (rabbit)

· Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

• *Respiratory or skin sensitisation* May cause an allergic skin reaction.

• 11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 131-57-7 oxybenzone

.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 868-77-9 2-hydroxyethyl methacrylate

LC50/96h > 100 mg/l (Fish acute toxicity study)

EC50/48h 380 mg/L (daphnia magna)

CAS: 3290-92-4 propylidynetrimethyl trimethacrylate

LC50/96h 2 mg/l (Fish acute toxicity study)

EC50/48h > 9.22 mg/L (daphnia magna)

CAS: 109-16-0 2,2'-ethylenedioxydiethyl dimetharcylate

LC50/96h 16.4 mg/l (Brachydanio rerio)

EC50/72h > 100 mg/l (Pseudokirchnerella subcapitata)

CAS: 131-57-7 oxybenzone

LC50/96h 100 mg/l (Fish acute toxicity study)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Remark: Harmful to fish

• Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

accoraing to 1907/2000/EC, An

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

(Contd. of page 6)

Trade name: SmartCem 2 Base

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport informati	ion	
• 14.1 UN number or ID number • ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Research & Development

• Contact: HotLine for urgent technical support: +49-7531-583-350

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

GB

Printing date 22.03.2022

Version number 5 (replaces version 4)

Revision: 22.03.2022

(Contd. of page 7)

Trade name: SmartCem 2 Base

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 *Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2* Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • * Data compared to the previous version altered.