

according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

freeprint® cast 2.0 385 (Dental)

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the	<u>safety data sheet</u>	
Company name:	DETAX GmbH	
Street:	Carl-Zeiss-Straße 4	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
E-mail:	post@detax.com	
Internet:	www.detax.com	
Responsible Department:	This number is only obtainable du	Iring office hours
	(Monday - Thursday 8.00 a.m 5	.00 p.m., Friday 8.00 a.m 4.00 p.m.)
1.4. Emergency telephone	+1-800-424-9300 (CHEMTREC w	vorldwide)

number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### Regulation (EC) No 1272/2008

## Hazard components for labelling

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate 2-hydroxyethyl methacrylate Hydroxy propyl methacrylate diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Warning

## Signal word:

**Pictograms:** 



#### Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

#### Precautionary statements

oudlionaly olucomon	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing



according to Regulation (EC) No 1907/2006

freeprint® cast 2.0 385 (Dental)						
Revision date: 23.11.2023	Product code: 983	Page 2 of 13				
	protection.					
P302+P352 IF ON SKIN: Wash with plenty of water.						
P321 Specific treatment (see on this label).						
P333+P313	P333+P313 If skin irritation or rash occurs: Get medical advice/attention.					
P362+P364 Take off contaminated clothing and wash it before reuse.						
P501	-					
2.3. Other hazards						

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (E			
41637-38-1	Ethoxylated bisphenol A dim	ethacrylate		60 - < 80 %
	Aquatic Chronic 4; H413			
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13	3-dioxo-3,14-dioxa-5,12-diazahex	adecane-1,16-diyl bismethacrylate	5 - < 20 %
	276-957-5		01-2120751202-68	
	Skin Sens. 1B, Aquatic Chro	nic 2; H317 H411		
108-32-7	propylene carbonate			5 - < 20 %
	203-572-1	607-194-00-1	01-2119537232-48	
	Eye Irrit. 2; H319		,	
868-77-9	2-hydroxyethyl methacrylate	5 - < 20 %		
	212-782-2	607-124-00-X	01-2119490169-29	
	Skin Irrit. 2, Eye Irrit. 2, Skin	Sens. 1; H315 H319 H317		
27813-02-1	Hydroxy propyl methacrylate	;		0.1 - < 5 %
	248-666-3		01-2119490226-37	
	Eye Irrit. 2, Skin Sens. 1; H3	19 H317		
6606-59-3	1,6-hexanediol dimethacryla	te		0.1 - < 5 %
	229-551-7			
	Aquatic Chronic 3; H412	-		
75980-60-8	diphenyl(2,4,6-trimethylbenz	oyl)phosphine oxide		0.1 - < 5 %
	278-355-8	015-203-00-X	01-2119972295-29	
	Repr. 2, Skin Sens. 1B, Aqu	atic Chronic 2; H361 H317 H411		
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide			0.1 - < 5 %
	423-340-5	015-189-00-5	01-2119489401-38	
	Skin Sens. 1A, Aquatic Chro			

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 3 of 13

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
41637-38-1		Ethoxylated bisphenol A dimethacrylate	60 - < 80 %
	dermal: LD50	= 2000 mg/kg; oral: LD50 = 2000 mg/kg	
72869-86-4	276-957-5	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	5 - < 20 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg	
108-32-7	203-572-1	propylene carbonate	5 - < 20 %
	dermal: LD50	= > 23800 mg/kg; oral: LD50 = 34600 mg/kg	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	5 - < 20 %
	dermal: LD50	= >5000 mg/kg; oral: LD50 = 5564 mg/kg	
27813-02-1	248-666-3	Hydroxy propyl methacrylate	0.1 - < 5 %
	dermal: LD50	= >5000 mg/kg; oral: LD50 = >2000 mg/kg	
75980-60-8	278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0.1 - < 5 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg	
162881-26-7	423-340-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	0.1 - < 5 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg	

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6:** Accidental release measures



according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 4 of 13

#### 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **DNEL/DMEL** values

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide						
Worker DNEL,	long-term	inhalation	systemic	0,822 mg/m³			
Worker DNEL, long-term		dermal	systemic	0,233 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	0,145 mg/m³			
Consumer DNEL, long-term		dermal	systemic	0,0833 mg/kg bw/day			
Consumer DNE	Consumer DNEL, long-term		systemic	0,0833 mg/kg bw/day			



according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 5 of 13

## 8.2. Exposure controls

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Butyl caoutchouc (butyl rubber)

#### Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid:		
Colour:	red		
			Test method
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and		not determined	
boiling range:			
Flammability:		not applicable	
		not applicable	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Flash point:			DIN 51755
Auto-ignition temperature:		not determined	
Decomposition temperature:		>=190 °C	
pH-Value:		not determined	
Water solubility:		The study does not need to be conducted	
		because the substance is known to be	
Calubility in other caluante		insoluble in water.	
Solubility in other solvents not determined			
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		<1 hPa	
(at 20 °C)		st in a	
Density (at 20 °C):		1.1 g/cm <sup>3</sup>	DIN 51757
Relative vapour density:		not determined	
9.2. Other information			
Information with regard to physical haza	ard class	es	
Explosive properties			
The product is not: Explosive.			
Oxidizing properties			
The product is not: oxidising.			
Other safety characteristics			
Evaporation rate:		not determined	
•			



according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 6 of 13

Solid content:

not determined

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

#### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

# **DETAX**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 7 of 13

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
41637-38-1	Ethoxylated bisphenol A dimethacrylate							
	oral	LD50 mg/kg	2000	Rat	OECD 423			
	dermal	LD50 mg/kg	2000	Rat	OECD 402			
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4	,13-dioxo-3,	14-dioxa-5,1	2-diazahexadecane-1,16-	diyl bismethacrylate			
	oral	LD50 mg/kg	>5000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rat	OECD 402			
108-32-7	propylene carbonate	1			-			
	oral	LD50 mg/kg	34600	Rat	GESTIS			
	dermal	LD50 mg/kg	> 23800	Rabbit	GESTIS			
868-77-9	2-hydroxyethyl methacryl	ate			-			
	oral	LD50 mg/kg	5564	Rat				
	dermal	LD50 mg/kg	>5000	Rabbit				
27813-02-1	Hydroxy propyl methacry	late						
	oral	LD50 mg/kg	>2000	Rat	OECD 401			
	dermal	LD50 mg/kg	>5000	Rabbit				
75980-60-8	diphenyl(2,4,6-trimethylb	enzoyl)phosp	hine oxide					
	oral	LD50 mg/kg	>5000	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
162881-26-7	phenyl bis(2,4,6-trimethy	benzoyl)-pho	sphine oxid	e		-		
	oral	LD50 mg/kg	>2000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rat	OECD 402			

## Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

## Sensitising effects

May cause an allergic skin reaction. (7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; 2-hydroxyethyl methacrylate; Hydroxy propyl methacrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

May cause respiratory irritation.



according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 8 of 13

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

#### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 9 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
41637-38-1	Ethoxylated bisphenol A	dimethacryla	ite				
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	OECD 202	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4	,13-dioxo-3,	14-dioxa-5,1	2-diazah	exadecane-1,16-diyl bisn	nethacrylate	
	Acute fish toxicity	LC50 mg/l	10,1	96 h			OECD 203
	Acute algae toxicity	ErC50 mg/l	0,21	72 h			OECD 201
	Acute crustacea toxicity	EC50 mg/l	>1,2	48 h	Daphnia magna (Big water flea)	OECD 202	
108-32-7	propylene carbonate						
	Acute fish toxicity	LC50 mg/l	5300	96 h	Leuciscus idus (golden orfe)	IUCLID	
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna (Big water flea)	IUCLID	
868-77-9	2-hydroxyethyl methacryl	ate					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oryzias latipes		OECD 203
	Acute algae toxicity	ErC50	836 mg/l	72 h	Selenastrum capricornutum		OECD 201
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna		OECD 202
27813-02-1	Hydroxy propyl methacryl	ate					
	Acute fish toxicity	LC50	493 mg/l	96 h	Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50 mg/l	>97,2	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phos	ohine oxide	_			
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge		
162881-26-7	phenyl bis(2,4,6-trimethyl	benzoyl)-ph	osphine oxide	е			
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	>0,26	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)	OECD 202	
	Crustacea toxicity	NOEC mg/l	>0,008	21 d	Daphnia magna (Big water flea)	OECD 211	
	Acute bacteria toxicity	(EC50 mg/l)	>100	3 h	OECD 209		

according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 10 of 13

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation			-			
41637-38-1	Ethoxylated bisphenol A dimethacrylate						
	OECD 301D/ EEC 92/69/V, C.4-E	24%	28				
	Not readily biodegradable (according to OECD criteria)						
868-77-9	2-hydroxyethyl methacrylate						
		92-100%	14				
	Readily biodegradable (according to OECD criteria).						
27813-02-1	Hydroxy propyl methacrylate						
	OECD	94%	28				
	Readily biodegradable (according to OECD criteria).						
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide						
		0-10%	28				
	Not readily biodegradable (according to OECD criteria)						
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide						
	CO2 formation (% of the theoretical value).	1%	29				
	Not readily biodegradable (according to OECD criteria)						

## 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	3,39
108-32-7	propylene carbonate	-0,41
27813-02-1	Hydroxy propyl methacrylate	0,97
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8

BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl) -phosphine oxide	<5	Cyprinus carpio (Common Carp)	OECD 305

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.



according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 11 of 13

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user No dangerous good in sense of this transport regulation.

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III):

9,996 % (109,956 g/l) Not subject to 2012/18/EU (SEVESO III)

National regulatory information



according to Regulation (EC) No 1907/2006

freeprint® cast 2.0 385 (Dental)					
Revision date: 23.11.2023	Product code: 983	Page 12 of 13			
Employment restrictions:	Observe restrictions to employment for juveniles accord work protection guideline' (94/33/EC).	ling to the 'juvenile			
Water hazard class (D):	1 - slightly hazardous to water				
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.				

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose. 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Repr: Reproductive toxicity STOT SE: Specific target organ toxicity - single exposure Aquatic Chronic: Chronic aquatic hazard



according to Regulation (EC) No 1907/2006

## freeprint® cast 2.0 385 (Dental)

Revision date: 23.11.2023

Product code: 983

Page 13 of 13

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H361	Suspected of damaging fertility or the unborn child.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)