Revision: 22.05.2023

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.05.2023 Version number 2 (replaces version 1)

· 1.1 Product identifier

· Trade name: W&H Cleaning Liquid MC-1000

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU20 Health services
- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Cleaning material/ Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PRISMAN GmbH Otto Hahn Ring 6-18 D-64653 Lorsch

Germany

· Further information obtainable from:

Abteilung Produktsicherheit Alexander.Metz@prisman.de

· 1.4 Emergency telephone number: ++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Warning
- · Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves / eye protection. P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Cleansing agent

Mixture of substances listed below with nonhazardous additions.

Dangerous components:			
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	ethanol	♠ Flam. Liq. 2, H225	10-25%

Printing date 22.05.2023 Version number 2 (replaces version 1) Revision: 22.05.2023

Trade name: W&H Cleaning Liquid MC-1000

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

(Contd. on page 3)

(Contd. of page 2)

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1) Printing date 22.05.2023 Revision: 22.05.2023

Trade name: W&H Cleaning Liquid MC-1000

· Further information about storage conditions:

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Rubber gloves

- · For the permanent contact gloves made of the following materials are suitable: Neoprene gloves
- · As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Butyl rubber, BR

Natural rubber, NR

· Eye/face protection



Tightly sealed goggles

Printing date 22.05.2023 Version number 2 (replaces version 1) Revision: 22.05.2023

Trade name: W&H Cleaning Liquid MC-1000

(Contd. of page 3)

SECTION 9: Physical and chemical prop	erties
9.1 Information on basic physical and chemical p	roperties
General Information	FI
Physical state	Fluid
· Colour:	Colourless
· Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling	70.00
range	79 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	Not determined
· Lower:	Not determined.
· Upper:	Not determined. 38 °C
· Flash point:	Not determined.
Decomposition temperature:	Noi determined. 7.6
· pH at 20 °C	/.U
· Viscosity:	Not determined.
Kinematic viscosity	Not determined.  Not determined.
· Dynamic: · Solubility	ivoi aeterminea.
•	Eully missible
water:	Fully miscible. Not determined.
Partition coefficient n-octanol/water (log value)	
Vapour pressure:	Not determined.
Density and/or relative density	0.07 -/3
Density at 20 °C:	0.97 g/cm <sup>3</sup>
Relative density	Not determined. Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health an	d
environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	20.0 %
· Water:	79.7 %
· VOC (EC)	20 %
· Solids content:	0.0 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classe	'S
· Explosives	Void
	Void
· Flammable gases	Void
	Void
· Aerosols	Void
110,000	Void
· Oxidising gases	Void
Ormsing guses	Void
· Gases under pressure	Void
Juses unuer pressure	Void Void
	(Contd. on page

(Contd. on page 5)

Printing date 22.05.2023 Version number 2 (replaces version 1) Revision: 22.05.2023

Trade name: W&H Cleaning Liquid MC-1000

		(Contd. of page 4)
· Flammable liquids	Flammable liquid and vapour.	
-	Void	
· Flammable solids	Void	
	Void	
· Self-reactive substances and mixtures	Void	
·	Void	
· Pyrophoric liquids	Void	
	Void	
· Pyrophoric solids	Void	
• •	Void	
Self-heating substances and mixtures	Void	
•	Void	
· Substances and mixtures, which emit flammable		
gases in contact with water	Void	
	Void	
· Oxidising liquids	Void	
· ·	Void	
· Oxidising solids	Void	
	Void	
· Organic peroxides	Void	
2	Void	
· Corrosive to metals	Void	
	Void	
· Desensitised explosives	Void	
•	Void	

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: Stable at environment temperature.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

GB

Printing date 22.05.2023 Version number 2 (replaces version 1) Revision: 22.05.2023

Trade name: W&H Cleaning Liquid MC-1000

(Contd. of page 5)

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR	Not regulated. Special provision 144
	Aqueous solution containing not more than 24%
ADAL LATA	alcohol by volume.
ADN, IATA	Void
IMDG	Not regulated. Special provision 144. Aqueous solutions containing 24 % or less
	alcohol by volume.
	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No

GR.

Printing date 22.05.2023 Version number 2 (replaces version 1) Revision: 22.05.2023

Trade name: W&H Cleaning Liquid MC-1000

(Contd. of page 6)

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

GHS label elements

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard statements

H226 Flammable liquid and vapour.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves / eye protection. P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Customs tariff No.: 3402 20 90

· Relevant phrases

H225 Highly flammable liquid and vapour.

- · Recommended restriction of use Product only for professional use
- · Department issuing SDS: Abteilung Produktsicherheit
- · Contact: Hr. Dr. Metz
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids – Category 3

\* Data compared to the previous version altered.