PMMA for brain disk PMMA for brain ht disk

Multilayer PMMA Shaded PMMA Burnout PMMA

 Version:
 1.6 / GB

 Revision date:
 21.11.2017

 Issue date:
 12.08.2009

replaces version: 1.5 Page: 1/8 Material no.

Specification 168025

VA-Nr 01906948



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name PMMA for brain disk

PMMA for brain ht disk Multilayer PMMA Shaded PMMA Burnout PMMA

REACH Registration No.: if available listed in Chapter. 3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For dental use only.

1.3. Details of the supplier of the safety data sheet

Company DeguDent GmbH

Postfach 1364 D-63403 Hanau

Telephone +49 (0)6181/59-5576 Telefax +49 (0)6181/59-5879

Email address SDB.Degudent-DE@dentsplysirona.com

1.4. Emergency telephone number

Emergency information +49 (0)6181/59-50 (This telephone number is available during office

hours only.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Remarks Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2. Label elements

Labelling as per (EU) 1272/2008

Remarks Labelling not required according to EU-CLP Ordinance (1272/2008).

Supplemental hazard / labelling elements (EU):

Contains methyl methacrylate, dibenzoyl peroxide

May produce an allergic reaction.

2.3. Other hazards

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

SECTION 3: Composition/information on ingredients

Chemical nature

Crosslinked polymethylmethacrylate

PMMA for brain disk

PMMA for brain ht disk Multilayer PMMA

Shaded PMMA
Burnout PMMA

 Version:
 1.6 / GB

 Revision date:
 21.11.2017

 Issue date:
 12.08.2009

replaces version: 1.5 Page: 2 / 8 Material no.
Specification 168025

VA-Nr **01906948**



Information on ingredients / Hazardous components as per EU-CLP Regulation (EC) No. 1272/2008

methyl methacrylate		< 1%		
CAS-No. 80-62-6 Flammable liquids Skin corrosion/irritation Skin Sensitisation Specific Target Organ Toxicity	EC-No. - Single exposure	201-297-1 (inhalation)	Category 2 Category 2 Category 1 Category 3	H225 H315 H317 H335
dibenzoyl peroxide		< 1%		
CAS-No. 94-36-0 Organic peroxides Eye irritation Skin Sensitisation	EC-No.	202-327-6	Type B Category 2 Category 1	H241 H319 H317

Texts of H phrases, see in Chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Following inhalation of product dust: See that there is fresh air.

In case of discomfort: Supply with medical care.

Skin contact

Upon skin contact, wash with plenty of water and soap.

Consult a doctor in the event of permanent skin irritation.

Eye contact

Immediately flush eye(s) with plenty of water.

If eye irritation persists, consult a specialist.

Ingestion

In case of discomfort: Supply with medical care.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

None known

Hazards

None known

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray, foam, CO2, dry powder.

Unsuitable extinguishing media: High volume water jet

5.2. Special hazards arising from the substance or mixture

Do not inhale decomposition gases or noxious gases.

5.3. Advice for firefighters

Wear suitable protective clothing.

PMMA for brain disk PMMA for brain ht disk

Multilayer PMMA

Shaded PMMA
Burnout PMMA

Page:

 Version:
 1.6 / GB

 Revision date:
 21.11.2017

 Issue date:
 12.08.2009

 replaces version:
 1.5

Material no.

Specification 168025

VA-Nr 01906948



Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Wear personal protective equipment; see section 8.

3/8

6.2. Environmental precautions

When substantial quantities of the product are on hand, do not drain into in water courses, groundwater and sewage system .

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

6.4. Reference to other sections

Wear personal protective equipment; see section 8.

Disposal considerations; see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Provide appropriate exhaust ventilation at places where dust is formed.

In case of dust: respiratory equipment and eye protection

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

No special measures are required.

Storage

No special measures are required.

German storage class

11 - Combustible Solids

7.3. Specific end use(s)

We are unaware of any specific end uses which go beyond the data reported in Section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

methyl methacrylate					
CAS-No. Control parameters	80-62-6 100 ppm 416 mg/m3	EC-No.	201-297-1 Short Term Exposure Limit (STEL):(EH40 WEL)		
Control parameters	50 ppm 208 mg/m3		Time Weighted Average (TWA):(EH40 WEL)		
dibenzoyl peroxide					
CAS-No. Control parameters	94-36-0 5 mg/m3	EC-No.	202-327-6 Time Weighted Average (TWA):(EH40 WEL)		

8.2. Exposure controls

Engineering measures

Ensure that there is suitable air extraction / ventilation in the workplace or at the working machines. If necessary extractor suction on specific objects.

PMMA for brain disk PMMA for brain ht disk

PMMA for brain ht d Multilayer PMMA Shaded PMMA

Burnout PMMA

 Version:
 1.6 / GB

 Revision date:
 21.11.2017

 Issue date:
 12.08.2009

replaces version: 1.5 Page: 4 / 8 Material no.

 Specification
 168025

 VA-Nr
 01906948



Personal protective equipment

Respiratory protection

Do not inhale respirable dust Dust mask with P2 particle filter., If the occupational threshold limit is exceeded wear respiratory protective device equipped with particle filter P2.

Hand protection

Glove material Wear safety gloves made of the following materials: natural rubber, nitrite caoutchouc, PVC.

Eye/face protection

Wear goggles when dusts appear

Hygiene measures

General industrial hygiene practice., Do not eat, drink, smoke, or sniff while at work. Wash your hands and/or face before breaks and before termination of work.

Protective measures

Do not breathe dust., No eating, drinking, smoking, or snuffing tobacco at work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Form solid

Colour depending on staining result

Odour odourless

Odour threshold: not applicable

pH not applicable

solid

Melting point/range no data available

Boiling point/range no data available

Flash point > 250 °C

Method: ASTM D 1929-68

Evaporation rate not applicable, solid

Flammability (solid, gas) no data available

Lower explosion limit not applicable

Upper explosion limit not applicable

Vapour pressure not applicable

solid

Density ca. 1.19 g/cm3 (20 °C)

Water solubility insoluble

Partition coefficient: n-

octanol/water

no data available

PMMA for brain disk PMMA for brain ht disk

Multilayer PMMA Shaded PMMA Burnout PMMA

 Version:
 1.6 / GB

 Revision date:
 21.11.2017

 Issue date:
 12.08.2009

replaces version: 1.5 Page: 5 / 8 Material no.

Specification **168025** VA-Nr **01906948**



Autoinflammability Not capable of spontaneous combustion or heating.

Thermal decomposition > 250 °C

Viscosity, dynamic not applicable

solid

Explosiveness no data available

Oxidizing properties not oxidizing

9.2. Other information

Ignition temperature > 400 °C

Method: Method: ASTM D 1929

Other information No further physicochemical data were determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

no data available

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Possibility of hazardous No sp

reactions

No special measures are required.

10.4. Conditions to avoid

No limitations

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

With thermal decomposition, flammable fumes arise which are irritating to the eyes and respiratory organs, predominantly consisting of: methyl methacrylate, Methacrylate

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No results of animal experiments with the product available.

Acute oral toxicity no data available

Acute inhalation toxicity no data available

Acute dermal toxicity no data available

Skin irritation no data available

Eye irritation no data available

Sensitization Allergic reactions have been described in humans. The data listed above

PMMA for brain disk PMMA for brain ht disk Multilaver PMMA

Multilayer PMMA Shaded PMMA

Burnout PMMA

Page:

 Version:
 1.6 / GB

 Revision date:
 21.11.2017

 Issue date:
 12.08.2009

 replaces version:
 1.5

 Material no.

 Specification
 168025

 VA-Nr
 01906948



refer to the very low concentrations of the raw materials methyl methacrylate and dibenzoyl peroxide contained in the product.

Assessment of STOT single

exposure

No data available

Assessment of STOT repeat

exposure

No data available

Risk of aspiration toxicity not applicable

6/8

Mutagenicity assessment no data available

Carcinogenicity No data available

Toxicity to reproduction No data available

Further information No hazardous reactions are known if properly handled and stored.

SECTION 12: Ecological information

12.1. Toxicity

No ecotoxicological data is available for this product.

12.2. Persistence and degradability

Biodegradability no data available

12.3. Bioaccumulative potential

Bioaccumulation no data available

12.4. Mobility in soil

Mobility No data available

12.5. Results of PBT and vPvB assessment

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

12.6. Other adverse effects

Further Information No data can be given because of insolubility in water.

Do not allow to reach the sewage system, the ground or natural water

bodies.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product

Disposal according to local authority regulations.

Uncleaned packaging

Disposal according to local authority regulations.

PMMA for brain disk PMMA for brain ht disk Multilayer PMMA

Shaded PMMA
Burnout PMMA

 Version:
 1.6 / GB

 Revision date:
 21.11.2017

 Issue date:
 12.08.2009

replaces version: 1.5 Page: 7 / 8 Material no.

Specification **168025** VA-Nr **01906948**



SECTION 14: Transport information

Not dangerous according to transport regulations.

14.1. UN number: --

14.2. UN proper shipping name: --

14.3. Transport hazard class(es): --

14.4. Packing group: -14.5. Environmental hazards: --

14.6 Special precautions for user: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National legislation

employment restriction The employment limitations under the protection of young persons act,

the laws on pregnant women and young mothers and work at home

is/are to be observed.

15.2. Chemical safety assessment

Chemical safety assessment No Chemical Safety Report as per Articles 2(8), 2(9) or 14 of the REACH

Regulatione is required for this product.

SECTION 16: Other information

Relevant H phrases from chapter 3

H225 : Highly flammable liquid and vapour. H241 : Heating may cause a fire or explosion.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.

Further information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Legend

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

PMMA for brain disk PMMA for brain ht disk

Multilayer PMMA Shaded PMMA Burnout PMMA

 Version:
 1.6 / GB

 Revision date:
 21.11.2017

 Issue date:
 12.08.2009

replaces version: 1.5
Page: 8/8

Material no.

Specification **168025** VA-Nr **01906948**



ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ASTM American Society for Testing and Materials

ATP Adaptation to Technical Progress

BCF Bioconcentration factor

BetrSichV German Ordinance on Industrial Safety and Health

c.c. closed cup

CAS Chemical Abstract Services

CESIO European Committee of Organic Surfactants and their Intermediates

ChemG German Chemicals Act

CMR carcinogenic-mutagenic-toxic for reproduction

DIN German Institute for Standardization

DMEL Derived minimum effect level

DNEL Derived no effect level

EINECS European Inventory of Existing Commercial Chemical Substances

EC50 half maximal effective concentration

GefStoffV German Ordinance on Hazardous Substances

GGVSEB German ordinance for road, rail and inland waterway transportation of dangerous

goods

GGVSee German ordinance for sea transportation of dangerous goods

GLP Good Laboratory Practice
GMO Genetic Modified Organism

IATA International Air Transport Association
 ICAO International Civil Aviation Organization
 IMDG International Maritime Dangerous Goods
 ISO International Organization For Standardization

LOAEL Lowest observed adverse effect level

LOELLowest observed effect levelNOAELNo observed adverse effect levelNOECno observed effect concentration

NOEL no observed effect level

o. c. open cup

OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit
PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

REACH REACH registration

RID Convention concerning International Carriage by Rail

STOT Specific Target Organ Toxicity
SVHC Substances of Very High Concern

TA Technical Instructions

TPR Third Party Representative (Art. 4)

TRGS Technical Rules for Hazardous Substances
VCI German chemical industry association
vPvB very persistent, very bioaccumulative

VOC volatile organic compounds

VwVwS German Administrative Regulation on the Classification of Substances Hazardous to

Waters into Water Hazard Classes

WGK Water Hazard Class
WHO World Health Organization